

Two 2.26GHz Quad-Core Intel Xeon
6GB (6x1GB)
640GB 7200-rpm Serial ATA 3Gb/s
640GB 7200-rpm Serial ATA 3Gb/s
NVIDIA GeForce GT 120 512MB
One 18x SuperDrive
Apple Mighty Mouse

Mac Pro

[Design](#)
[Features](#)
[Performance](#)
[Environment](#)
[Tech Specs](#)
[Buy Now](#)

Technical Specifications

Processing

8-core: Two 2.26GHz, 2.66GHz, or 2.93GHz Quad-Core Intel Xeon 5500 series processors

Quad-core: One 2.66GHz or 2.93GHz Quad-Core Intel Xeon 3500 series processor



Next-generation Intel microarchitecture

- 8MB of fully shared L3 cache per processor
- Integrated memory controller
- Turbo Boost dynamic performance (up to 3.33GHz on 8-core 2.93GHz system)
- Hyper-Threading technology for up to 16 virtual cores
- 128-bit SSE4 SIMD engine
- 64-bit data paths and registers
- Optimized for energy efficiency

[Configure your Mac Pro](#) now, only at the Apple Online Store.

Memory

1066MHz DDR3 ECC SDRAM

8-core: Eight memory slots (four per processor) supporting up to 32GB of main memory using 1GB, 2GB, or 4GB DIMMs

Quad-core: Four memory slots supporting up to 8GB of main memory using 1GB or 2GB DIMMs

Graphics and displays

Double-wide, 16-lane PCI Express 2.0 graphics slot with one of the following graphics cards installed:

- NVIDIA GeForce GT 120 with 512MB of GDDR3 memory, PCI Express 2.0, one Mini DisplayPort, and one dual-link DVI port
- ATI Radeon HD 4870 with 512MB of GDDR5 memory, PCI Express 2.0, one Mini DisplayPort, and one dual-link DVI port



Multiple graphics card configurations available with two, three, or four NVIDIA GeForce GT 120 cards

Support for up to eight 30-inch displays ¹

Storage

Four 3.5-inch cable-free, direct-attach hard drive bays with built-in independent 3Gb/s Serial ATA channels; four internal hard drive carriers included



Up to 4TB of internal storage ³ in hard drive bays 1 through 4 using hard drives in the following capacities:

- 640GB Serial ATA 3Gb/s, 7200 rpm, 16MB cache
- 1TB Serial ATA 3Gb/s, 7200 rpm, 32MB cache
- Optional Mac Pro RAID Card with 512MB cache and 72-hour cache battery backup
- 18x SuperDrive with double-layer support (DVD ±R DL/DVD±RW/CD-RW)
 - Writes DVD+R and DVD-R discs at up to 18x speed
 - Writes DVD+R DL and DVD-R DL discs at up to 8x speed
 - Writes DVD+RW discs at up to 8x speed
 - Writes DVD-RW discs at up to 6x speed
 - Reads DVDs at up to 18x speed
 - Writes CD-R and CD-RW discs at up to 32x speed
 - Reads CDs at up to 32x speed
- One open optical drive bay for optional second SuperDrive

Electrical and operating requirements

- Line voltage: 100–120V AC or 200–240V AC (wide-range power supply input voltage)
- Frequency: 50Hz to 60Hz single phase
- Current: Maximum of 12A (low-voltage range) or 6A (high-voltage range)
- Operating temperature: 50° to 95° F (10° to 35° C)
- Storage temperature: –40° to 116° F (–40° to 47° C)
- Relative humidity: 5% to 95% noncondensing
- Maximum operating altitude: 10,000 feet



Connections and audio

Four FireWire 800 ports (two on front panel, two on back panel)

Five USB 2.0 ports (two on front panel, three on back panel)

Two USB 2.0 ports on included keyboard

Front-panel headphone minijack and internal speaker

Optical digital audio input and output TOSLINK ports

Analog stereo line-level input and output minijacks



PCI Express expansion

Three open full-length PCI Express expansion slots ⁵

- One PCI Express 2.0 x16 slot
- Two PCI Express 2.0 x4 slots

All slots provide mechanical support for 16-lane cards

300W combined maximum for all PCI Express slots

Software

Mac OS X v10.6 Snow Leopard (includes iTunes, Time Machine, Quick Look, Spaces, Spotlight, Dashboard, Mail, iChat, Safari, Address Book, QuickTime, iCal, DVD Player, Photo Booth, Front Row, Xcode Developer Tools)



iLife '09 (includes iPhoto, iMovie, iDVD, iWeb, and GarageBand)

You can also have the following software pre-installed, only at the Apple Online Store:

- iWork '09
- Final Cut Express
- Aperture
- Logic Express 2
- Filemaker
- MobileMe

Support for digital resolutions up to 2560 by 1600 pixels

Support for analog resolutions up to 2048 by 1536 pixels

Video adapters available for:

- Additional DVI output using Mini DisplayPort to DVI Adapter (optional)
- Additional dual-link DVI output using Mini DisplayPort to Dual-Link DVI Adapter (optional)
- VGA output using Mini DisplayPort to VGA Adapter or DVI to VGA Display Adapter (optional)



Size and weight

Height: 20.1 inches (51.1 cm)

Width: 8.1 inches (20.6 cm)

Depth: 18.7 inches (47.5 cm)

Weight (standard configuration):

- 8-core: 41.2 pounds (18.7 kg)⁶
- Quad-core: 39.9 pounds (18.1 kg)⁶

Communications

Two independent 10/100/1000BASE-T Ethernet (RJ-45) interfaces with support for jumbo frames



Bluetooth 2.1 + Enhanced Data Rate (EDR)

Optional AirPort Extreme Wi-Fi card with 802.11n² (based on an IEEE 802.11n draft specification); IEEE 802.11a/b/g compatible

In the box

Mac Pro

Power cord

Apple Keyboard with Numeric Keypad and Mighty Mouse

USB keyboard extension cable

Install/restore DVDs

Printed and electronic documentation



Configuration Options [See detailed pricing and configurations ▶](#)

	Quad-Core (MB871LL/A)	8-Core (MB535LL/A)
Processor	2.66GHz Quad-Core Intel Xeon	Two 2.26GHz Quad-Core Intel Xeon
Cache	8MB fully shared L3 cache	8MB fully shared L3 cache per processor
Memory	3GB (three 1GB DIMMs) of 1066MHz DDR3 ECC SDRAM	6GB (six 1GB DIMMs) of 1066MHz DDR3 ECC SDRAM
PCI Express 2.0 graphics	NVIDIA GeForce GT 120 with 512MB GDDR3 memory, Mini DisplayPort, and dual-link DVI video output	
Hard disk drive	640GB Serial ATA (3Gb/s); 7200 rpm	
Optical drive	18x SuperDrive with double-layer support (DVD±R DL/DVD±RW/CD-RW)	
Wireless	Built-in Bluetooth 2.1 + EDR (Enhanced Data Rate)	
PCI Express	Three open full-length PCI Express 2.0 expansion slots with mechanical support for 16-lane cards; 300W combined maximum for all PCI Express slots	
Build-to-Order Options	2.93GHz Quad-Core Intel Xeon 6GB memory (three 2GB DIMMs) 8GB memory (four 2GB DIMMs) ATI Radeon HD 4870 with 512MB GDDR5 Two NVIDIA GeForce GT 120 Three NVIDIA GeForce GT 120 Four NVIDIA GeForce GT 120 Hard drive bays 1-4: 640GB Serial ATA 3Gb/s (7200 rpm) or 1TB Serial ATA 3Gb/s (7200 rpm) ³ Mac Pro RAID Card Two 18x SuperDrive optical drives AirPort Extreme Wi-Fi card with 802.11n ² Apple Keyboard	Two 2.66GHz Quad-Core Intel Xeon Two 2.93GHz Quad-Core Intel Xeon 8GB memory (four 2GB DIMMs) 12GB memory (six 2GB DIMMs) 16GB memory (eight 2GB DIMMs) 32GB memory (eight 4GB DIMMs) ATI Radeon HD 4870 with 512MB GDDR5 Two NVIDIA GeForce GT 120 Three NVIDIA GeForce GT 120 Four NVIDIA GeForce GT 120 Hard drive bays 1-4: 640GB Serial ATA 3Gb/s (7200 rpm) or 1TB Serial ATA 3Gb/s (7200 rpm) ³ Mac Pro RAID Card

	Apple Wireless Keyboard Wireless Mighty Mouse Dual-Channel 4Gb Fibre Channel card Quad-Channel 4Gb Fibre Channel card	Two 18x SuperDrive optical drives AirPort Extreme Wi-Fi card with 802.11n ² Apple Keyboard Apple Wireless Keyboard Wireless Mighty Mouse Dual-Channel 4Gb Fibre Channel card Quad-Channel 4Gb Fibre Channel card
--	--	---

Learn more about options for Mac Pro.



Upgrades

- 1 GB Memory Kit
- 2GB Memory Kit
- 4GB Memory Kit
- 640GB SATA Drive Kit
- 1TB SATA Drive Kit
- Promise 450GB SAS Drive for Mac Pro
- Mac Pro RAID Card
- ATI Radeon HD 4870 Graphics Upgrade Kit
- Apple Dual-Channel 4Gb Fibre Channel PCI Express Card
- Apple Quad-Channel 4Gb Fibre Channel PCI Express Card



Accessories

- [Apple LED Cinema Display](#)
- [30-inch Apple Cinema HD Display](#)
- [Time Capsule](#)
- [AirPort Extreme Base Station](#)
- [AirPort Express Base Station](#)
- [Apple Keyboard](#)
- [Apple Wireless Keyboard](#)
- [Apple Wireless Mighty Mouse](#)
- [MobileMe Subscription](#)
- [AppleCare Protection Plan](#)



Applications

- [Final Cut Studio](#)
- [Final Cut Express](#)
- [Aperture](#)
- [Logic Pro](#)
- [Logic Express](#)
- [Shake](#)
- [Mac OS X Server v10.5 \(10-client license\)](#)
- [Mac OS X Server v10.5 \(Unlimited-client license\)](#)
- [Apple Remote Desktop](#)
- [iWork '09](#)

Apple Online Store



Customize your perfect Mac Pro and have it shipped to your door — free. Only at the Apple Online Store.

[Configure your Mac Pro now ▶](#)

1. Requires installation of four NVIDIA GeForce GT 120 graphics cards.
2. Wireless Internet access requires base station or other wireless access point and Internet access (fees may apply). Achieving optimal 802.11n data rates requires that all users have an 802.11n AirPort Extreme Card and connect to an 802.11n AirPort Extreme Base Station. Speed and range will be less if an 802.11a/b/g product joins the network. Actual performance will vary based on range, connection rate, site conditions, size of network, and other factors. Range will vary with site conditions. Based on IEEE 802.11n draft specification.
3. 1GB = 1 billion bytes and 1TB = approximately 1 trillion bytes; actual formatted capacity less.
4. Mac Pro systems configured with a Mac Pro RAID card or Fibre Channel card do not meet ENERGY STAR and EPEAT requirements.
5. PCI Express slots are not compatible with PCI or PCI-X expansion cards.
6. Actual weight varies by configuration and manufacturing process.

Intel, Intel Core, and Xeon are trademarks of Intel Corp. in the U.S. and other countries.