



# USB INTERFACES

Home >> Products >> Computer Products >> **USB Interfaces / Controllers**

## US-428


[Overview](#)
[Specifications](#)
[Applications](#)
[Resources](#)
[Images](#)

TASCAM and Frontier Design Group have partnered together to create the first major innovation in USB-based audio. Start with a fully 24-bit front end, with two XLR inputs, two balanced 1/4" TRS inputs, two unbalanced 1/4" inputs (switchable to Hi-Z), and S/PDIF I/O. Four channels of audio in and two out simultaneously via USB. No opening your computer, no sound card to install - it's USB, so you can even hot-plug it.

You'll spend a lot less time mousing your mix with the US-428. It's got real tactile controls for the most-used functions in your DAW applications. Transport, mute/solo and locate keys, unlimited banks of eight faders, an EQ module that supports control of up to four bands of fully parametric EQ, plus four aux sends and a panpot. It's even got 32 channels of MIDI I/O. Use one for your keys and modules, and the other for MTC, to lock your MTC-capable tape tracks to your computer.

The US-428 comes bundled with a custom version of Steinberg's Cubasis VST audio recording/MIDI sequencing software. The PC version is available with US-428s shipping now, while the Mac version will be available soon and will be shipped to previous purchasers of the US-428 free of charge.

### Featured Products

#### ▶▶ FireOne

You want control, now you can have it. Pushing the limits of what an audio interface can be, the FireOne


[More >>](#)

#### ▶▶ GA-30CD

GA-30CD guitar amp cd trainer combo - the ultimate practice amp solves many issues...


[More >>](#)

#### DV-RA1000HD

The Ultimate High-Definition Recorder. Now with 60GB hard drive


[More >>](#)

#### CD-RW901SL

CD-RW901SL CD Recorder adds RS-232, Balanced XLR I/O, and AES Digital I/O and features our robust slot-loading transport...


[More >>](#)

### Product Categories

[▶▶ Pro Audio](#)
[▶▶ Computer Products](#)
[▶▶ Recording](#)
[▶▶ Performance](#)
[▶▶ Contractor](#)
[▶▶ Accessories](#)
[▶▶ Legacy](#)
[▶▶ Dealer Finder](#)



## USB INTERFACES

Home >> Products >> Computer Products >> **USB Interfaces / Controllers**

### US-428


[Overview](#)
[Specifications](#)
[Applications](#)
[Resources](#)
[Images](#)

- PC or Mac Compatible via USB interface
- 24 bit D/A and A/D converters
- Four in (analog or S/PDIF) and two out simultaneously
- Records at up to 48kHz, 24-bit resolution
- Two independent MIDI I/O
- Supports unlimited banks of eight faders
- Dedicated EQ, Aux and Pan controllers
- Includes Cubase LE 48-track / 96kHz recording software
- Includes GigaStudio 3 LE 64-voice sampling software

#### Featured Products

##### ▶▶ FireOne

You want control, now you can have it. Pushing the limits of what an audio interface can be, the FireOne


[More >>](#)

##### ▶▶ GA-30CD

GA-30CD guitar amp cd trainer combo - the ultimate practice amp solves many issues...


[More >>](#)

##### DV-RA1000HD

The Ultimate High-Definition Recorder. Now with 60GB hard drive


[More >>](#)

##### CD-RW901SL




CD-RW901SL CD Recorder adds RS-232, Balanced XLR I/O, and AES Digital I/O and features our robust slot-loading transport...


[More >>](#)

#### Product Categories

[▶▶ Pro Audio](#)
[▶▶ Computer Products](#)
[▶▶ Recording](#)
[▶▶ Performance](#)
[▶▶ Contractor](#)
[▶▶ Accessories](#)
[▶▶ Legacy](#)
[▶▶ Dealer Finder](#)

### Driver Compatibility Chart

	Windows XP	
	Windows XP 64-bit	
	Windows Vista	
	Windows Vista 64	
	Mac OS X 10.4 Tiger	
	Mac OS X 10.5 Leopard	
	Apple Universal Binary (Intel processor)	

 = Compatible     = Currently Incompatible



## USB INTERFACES

[Home](#) >> [Products](#) >> [Computer Products](#) >> [USB Interfaces / Controllers](#)

### US-428


[Overview](#)
[Specifications](#)
[Applications](#)
[Resources](#)
[Images](#)

TASCAM Interfaces Now Include Steinberg Cubase LE and TASCAM GigaStudio 3 LE!



[Click for a larger screenshot](#)

Steinberg's Cubase LE workstation software is now included free with the TASCAM US-122, US-224, US-428, FW-1082, FW-1804 and FW-1884. This software provides 48 tracks of recording and playback with a TASCAM interface and a Mac OS X or Windows XP computer.

These are just a few of the features of **Steinberg Cubase LE**:

#### Featured Products

##### ▶▶ FireOne

You want control, now you can have it. Pushing the limits of what an audio interface can be, the FireOne



[More >>](#)

##### ▶▶ GA-30CD

GA-30CD guitar amp cd trainer combo - the ultimate practice amp solves many issues...



[More >>](#)

##### DV-RA1000HD

The Ultimate High-Definition Recorder. Now with 60GB hard drive



[More >>](#)

##### CD-RW901SL

CD-RW901SL CD Recorder adds RS-232, Balanced XLR I/O, and AES Digital I/O and features our robust slot-loading transport...



[More >>](#)

#### Product Categories

▶▶ [Pro Audio](#)

▶▶ [Computer Products](#)

▶▶ [Recording](#)

▶▶ [Performance](#)

▶▶ [Contractor](#)

▶▶ [Accessories](#)

▶▶ [Legacy](#)

▶▶ [Dealer Finder](#)

<i>Feature</i>	<i>Benefit</i>
48 audio tracks	More than many "pro" applications, enough for large arrangements and multiple takes
64 MIDI tracks	Record layers of MIDI synths, or incorporate ReWire samplers like GigaStudio 3 LE
96kHz/24-bit audio resolution	Audiophile recording quality captures every detail and nuance
VST plug-in effects	Thousands of effects to choose from, from free downloads to pro packages, with the most widely-supported plug-in format
VST instrument support	Incorporate VST soft synths into your Cubase arrangements
Notation editing and printing	MIDI tracks show up as completed notation for printing charts for musicians and editing tracks
Time Stretch	Change the tempo of a loop to match your song
ReWire 2 integration	Run ReWire-compatible applications like GigaStudio 3 on the same computer as Cubase LE
Upgrade path to Cubase SX	Upgrade to the full version of Cubase if you outgrow this version
Extensive support for mixing control surfaces	Use a US-224, US-428, FW-1884 or FW-1082 to control the program

To upgrade from Cubase LE to a more powerful version like Cubase SX3, visit [steinbergupgrades.com](http://steinbergupgrades.com).

In addition to Steinberg Cubase LE, TASCAM interfaces include **GigaStudio 3 LE**. This is a 64-voice version of our new GigaStudio 3 streaming sampler application for Windows XP. You get all the features of the full version of GigaStudio 3, including ReWire 2 support, GigaPulse SP convolution reverb playback, VST plug-in capability, instrument stacking, iMIDI rules, powerful mixing features and much more. You even get MegaPiano, a sample library based on the acclaimed GigaPiano II piano library. [Click here](#) to learn more about GigaStudio 3.

**NOTE:** TASCAM has discovered an incompatibility between Apple's "Tiger" OS 10.4 system software and Steinberg's Cubase LE v1.07 installer. For a successful install of Cubase LE, install it on your Mac first, then install Tiger. If you have purchased a new Mac with Tiger pre-installed, Cubase LE will not install. US customers should contact TASCAM Parts at (323) 727-7617 or [parts@teac.com](mailto:parts@teac.com) to receive a new installer disk that is compatible with Tiger. We apologize for any inconvenience.



## USB INTERFACES

Home >> Products >> Computer Products >> **USB Interfaces / Controllers**

### US-428


[Overview](#)
[Specifications](#)
[Applications](#)
[Resources](#)
[Images](#)

#### Documents:

1. A Beginner's Guide to Recording: ([download](#))
2. How to install the drivers and Cubase LE: ([download](#))
3. US-428 Application-Specific Documentation: [Cubase VST for Windows](#) ([download](#))
  - [Cubase VST for Mac OS9](#) ([download](#))
  - [Using the US-428 with Native Instruments B4](#) ([download](#))
  - [US-428 and Reason](#) ([download](#))
  - [Using the US-428 with Nuendo](#) ([download](#))
  - [Using the US-428 with MOTU Digital Performer](#) ([download](#))
  - [Using the US-428 with Digidesign ProTools](#) ([download](#))
4. US-428 Installation and Use: 'Four Banks Protocol' Diagram ([download](#))
  - [Using the Chromatic Tuner](#) ([download](#))
  - ['Four Control Banks' mode](#) ([download](#))
  - [Setting Up OMS on OS9](#) ([download](#))
  - [ViaTech Chipset Compatibility](#) ([download](#))
  - [Clean Uninstall on Windows 98 SE/ME](#) ([download](#))
  - [Clean Uninstall on Windows 2000/XP](#) ([download](#))
  - [Hotfix for Win98 SE](#) ([download](#))
  - [Control Surface Messaging](#) ([download](#))
  - [Notes on Keystroke Emulation](#) ([download](#))
  - [Mac Optimization Guide OS9](#) ([download](#))
  - [Windows 2000/XP Optimization Guide](#) ([download](#))
  - [Installation and Troubleshooting on Mac](#) ([download](#))
  - [Installation and Troubleshooting on Windows](#) ([download](#))
5. US-428 Owner's Manual: ([download](#))

#### Software & Firmware:

1. Opcode Open Music System: ([download](#))
2. US-428 Application-Specific Drivers: [Cycling '74 Max/MSP](#) ([download](#))
  - [eMagic Logic 4.7 Mac - Environment and Documentation](#) ([download](#))
  - [eMagic Logic 5.0 Mac - Environment and Documentation](#) ([download](#))
  - [eMagic Logic 5.0 Windows - Environment and Documentation](#) ([download](#))

#### Featured Products

##### ▶▶ FireOne

You want control, now you can have it. Pushing the limits of what an audio interface can be, the FireOne


[More >>](#)

##### ▶▶ GA-30CD

GA-30CD guitar amp cd trainer combo - the ultimate practice amp solves many issues...


[More >>](#)

##### DV-RA1000HD

The Ultimate High-Definition Recorder. Now with 60GB hard drive


[More >>](#)

##### CD-RW901SL

CD-RW901SL CD Recorder adds RS-232, Balanced XLR I/O, and AES Digital I/O and features our robust slot-loading transport...


[More >>](#)

#### Product Categories

[▶▶ Pro Audio](#)
[▶▶ Computer Products](#)
[▶▶ Recording](#)
[▶▶ Performance](#)
[▶▶ Contractor](#)
[▶▶ Accessories](#)
[▶▶ Legacy](#)
[▶▶ Dealer Finder](#)

- MOTU Control Surface Plug-in - OS9 (download)
  - DP4/OSX Plug-in ReadMe (download)
  - DP4 Control Surface Plug-in for OSX (download)
3. US-428 Mac OS Drivers: v. 3.21 Installation instructions for Mac OS 8.6 - 9.x (download)
    - v. 3.21 Installation instructions for Mac OS X (10.2.3 and higher) (download)
    - v. 3.40 OSX Universal Binary Driver for Intel & PPC Apple Mac computers (download)
    - v. 3.23 OSX Driver (10.3 Panther / 10.4 Tiger Compatible) (download)
    - v. 3.21 for Mac OS 8.6 - 9.x (download)
  4. US-428 Windows Drivers: v. 3.40 Release Notes (download)
    - v. 3.40 Windows Vista and XP Driver (download)
    - v. 3.30 64 Bit Windows driver (download)
    - v. 3.30 32 Bit Windows driver (download)
    - v. 3.30 Windows upgrade note (download)
    - v. 3.24 Windows XP/2000 driver (download)
    - v. 3.24 Windows 98 SE and ME driver (download)

**Media:**

...



## USB INTERFACES

Home >> Products >> Computer Products >> **USB Interfaces / Controllers**

### US-428


[Overview](#)
[Specifications](#)
[Applications](#)
[Resources](#)
[Images](#)


#### Featured Products

##### ▶▶ FireOne

You want control, now you can have it. Pushing the limits of what an audio interface can be, the FireOne


[More >>](#)

##### ▶▶ GA-30CD

GA-30CD guitar amp cd trainer combo - the ultimate practice amp solves many issues...


[More >>](#)

##### DV-RA1000HD

The Ultimate High-Definition Recorder. Now with 60GB hard drive


[More >>](#)

##### CD-RW901SL

CD-RW901SL CD Recorder adds RS-232, Balanced XLR I/O, and AES Digital I/O and features our robust slot-loading transport...


[More >>](#)

#### Product Categories

[▶▶ Pro Audio](#)
[▶▶ Computer Products](#)
[▶▶ Recording](#)
[▶▶ Performance](#)
[▶▶ Contractor](#)
[▶▶ Accessories](#)
[▶▶ Legacy](#)
[▶▶ Dealer Finder](#)



[Home](#) | [Registration](#) | [About TASCAM](#) | [Contact Us](#) | [Privacy Policy](#) | [Terms and Conditions](#)

© Copyright TASCAM, 2007. All rights reserved.